



The German perfect industrial design, beauty and quality of experience

The new Cayken marks a new beginning in industrial grade drill machine aesthetic design and manufacturing process. It follows the consistent style of the leaders, with a forward-looking design ideas and the perfect ergonomic design, opened up a new era of drilling industry.

Germany Cayken authorized manufacturer ; shanghai chengxiang mechanical and electric equipment co.,ltd

400-666-1828

<http://www.cayken.com.cn>

E-mail:sale@shchengxiang.com



CAYKEN®
— DRILLING MACHINE —
PROFESSIONAL DRILLING

THE HOLE. THE CREATION.

Meticulous design makes the user uncommon.



www.cayken.com.cn

ABOUT US



Cayken, as an international leader in industrial machinery and steel drilling solutions provider, has been committed to engineering drill, magnetic drill, wall cutting machines and other industrial drilling machinery research and development and production.

Cayken, by the end of 2007 a strategic alliance with Shanghai Phoenix (Chengxiang) has become the ideal people (drilling machine brand) with German industrial standard. With effective integration of resources by (of) both parties, it is only three years successfully combines the Chinese market, so that the drill brand leader.

Cayken, its range of drilling machines in China more than 5,000 multiple clients (including the well-known domestic shipbuilding industry, paper industry, bridges, machinery and equipment installation, subway construction, pipeline engineering, etc.) to provide the required high quality and strong effect drilling to deal with large-scale industrial production of rigid, innovative competition requirements.

Cayken, focusing on China's future trends in industrial buildings, not more than a million Chinese industrial builders to create drilling services, and in 2012 the country's first speed drilling, to achieve the workers' efficiency requirements, solve past experience workers experienced professional limitations.

Cayken, for the use of drilling machinery to create more flexibility, forward-looking design and perfect ergonomics, quick dynamic mechanism, innovation viable marketing strategy to meet the Chinese mass market demand.

Cayken, to create the most influential international drilling machinery - insisted powerful, comfortable and safe operating experience, as to the future development trend of industrial architecture guidance, achievement of international drilling market quickly update and development, creating a competitive industry force for workers create high efficiency.

CONTENTS



DIAMOND CORE DRILL	SCY-18-2EBM	1	KCY-65-2WD/85-3WD	18
	SCY-26-3EBM	2	KCY-55QE-1/65QE-1/80QE-1	19
	SCY-1520-2EB/1520-2EBS	3	KCY-55QE/65QE/80QE	20
	SCY-1780-3EB/1780-3EBS/2020-3EB/2020/3EBS	4	SCY-1300/1300E/1300RE/1600/1600E/1600RE	21
	SCY-1800/1800E/2050/2050E	5	SCY-2300/2300E/2300RE/2800/2800E/2800RE	22
	SCY-2350/2350E/2550/2550E/2550C/2550CE		KBN-25QU/38QU	23
	SCY-3050/3050C/3050CE/3550/3550C/3550CE/4050/4050C/4050CE	6	KBN-60QU/90QU	24
	SCY-3050-3C/3050-3CE/3550-3C/3550-3CE/4050-3C/4050-3CE	7	SCY-25CD/38CD	25
	SCY-2550B/2550BE/2550BCE/3050B/3050BE/3050BCE/3550B/3550BE/3550BCE/4050B/4050BE/4050BCE	8	SCY-60CD/90CD	26
	KCY-2550QA/4050QA	9	SCY-50CD/80CD	27
	KCY-2550BM/2550BCM/2550BCEM/3050BM/3050BCM/3050BCEM/3550BM/3550BCM/3550BCEM/4050BM/4050BCM/4050BCEM	10	SCY-126CD	28
	SCY-4550-3C/4050-3CE/5050-3C/5050-3CE	11	SCY-3200/3200C/3200RC/3800/3800C/3800RC/4900/4900C/4900RC	29
	KCY-200F-400F/650F	12	SCY-6000/6000C/6000RC/8000/8000C/8000RC	30
	KCY-28DM/38DM/55DM	13	SCY-3200-3RT/3800-3RT/4900-3RT	31
	SCY-32HD/42HD	14	SCY-6000-3RT/8000-3RT	32
	SCY-68HD/98HD	15	SCY-1000C/1000RC/1000-3RT	33
	KCY-36-2WDO/48-2WDO	16	KBN-55-2QD/75-2QD/95-3QD	34
MAGNETIC DRILL		17	WALL CUTTER	35
			KCY-320WEQ/420WEQ	36
			KCY-520WEQ	



Oil-immersed gear



Double insulation



Soft start



Constant power control



Carrying case



Continuous variable speed



Counter-rotating



2-speed gear shift



3-speed gear shift



Safety clutch



CE certified



RoHS certified

DIAMOND CORE DRILL

SCY-18/EBM



PRODUCT FEATURES

D shaped handle with good hand feeling. Light weight and portable. Stepless speed regulation and fit for different bits.



PRODUCT MODEL AND PARAMETER

Product model	SCY-18/EBM (hand held)	SCY-18/EBM (in drill stand)
Brick drilling range	~5" (~132)	~5" (~132)
Concrete drilling range	~3" (~80)	~4" (~110)
Rated voltage	110/220	110/220
Rated frequency	50~60	50~60
Rated input power	1900	1900
No-load speed	700/1200 1050/1750	700/1200 1050/1750

Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

DIAMOND CORE DRILL

SCY-26/3EBM



PRODUCT FEATURES

Have the functions of constant power, soft start, stepless speed regulation, 3 gear speed regulation, and drilling inclined holes from 0~45° with the adjustable bracket.



PRODUCT MODEL AND PARAMETER

Product model	SCY-26/3EBM (hand held)	SCY-26/3EBM (in drill stand)
Brick drilling range	~6.5" (~165)	~6.5" (~165)
Concrete drilling range	~4" (~102)	~5" (~130)
Rated voltage	110/220	110/220
Rated frequency	50~60	50~60
Rated input power	2300	2300
No-load speed	400/850 750/1650 1200/2650	400/850 750/1650 1200/2650

OIL IMMERSED DIAMOND CORE DRILL

SCY-1520/2BS

SCY-1520/2EBS



PRODUCT MODEL AND PARAMETER

Product model	SCY-1520/2BS SCY-1520/2EBS	SCY-1780/3BS SCY-1780/3EBS
Brick drilling range	~6" (~152)	~7" (~178)
Concrete drilling range	~4.8" (~120)	~5.5" (~140)
Rated voltage	110/220	110/220
Rated frequency	50~60	50~60
Rated input power	1800	1900
No-load speed	900/3900 100-900/3900	900/1900/3900 100-900/1900/3900

OPTIONAL FEATURE



OPTIONAL FEATURE



CN

GB

EP

US

1-1/4"-7UNC 1-1/4"-3UNC Beijing thread M22*2.5 1-1/4"-7UNC & 1/2" BSP

PRODUCT FEATURES

Oil-immersed gearbox gear long life
Multi-gear gear speeder tool for multiple
Small volume, heavy power



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

OIL IMMERSED DIAMOND CORE DRILL

SCY-1780/3BS

SCY-2020/3BS

SCY-1780/3EBS

SCY-2020/3EBS



PRODUCT MODEL AND PARAMETER

Product model	SCY-2020/3BS	SCY-2020/3EBS
Brick drilling range	~7.8" (~200)	~7.8" (~200)
Concrete drilling range	~6.2" (~160)	~6.2" (~160)
Rated voltage	110/220	110/220
Rated frequency	50~60	50~60
Rated input power	2100	2100
No-load speed	800/1790/3650	100-800/1790/3650

PRODUCT FEATURES

Oil-immersed gearbox gear long life
Multi-gear gear speeder tool for
multiple. Small volume, heavy power



DIAMOND CORE DRILL

INDUSTRIAL GRADE

- SCY-1800
- SCY-2050
- SCY-1800E
- SCY-2050E

PRODUCT MODEL AND PARAMETER

Product model	SCY-1800	SCY-1800E	SCY-2050	SCY-2050E
Concrete drilling range	~7" (~180)	~7" (~180)	~8" (~205)	~8" (~205)
Rated voltage	110/220	110/220	110/220	110/220
Rated frequency	50-60	50-60	50-60	50-60
Rated input power	3800	3800	4000	4000
No-load speed	750	100-750	700	100-700



OPTIONAL FEATURE



PRODUCT FEATURES

Novel appearance, small size,
light weight and fine packing.



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

DIAMOND CORE DRILL

INDUSTRIAL GRADE

- SCY-2350
- SCY-2550
- SCY-2350E
- SCY-2550E
- SCY-2550C
- SCY-2550CE

PRODUCT MODEL AND PARAMETER

Product model	SCY-2350 SCY-2350E	SCY-2550 SCY-2550E	SCY-2550C	SCY-2550CE
Concrete drilling range	~9" (~235)	~10" (~255)	~10" (~255)	~10" (~255)
Rated voltage	110/220	110/220	110/220	110/220
Rated frequency	50-60	50-60	50-60	50-60
Rated input power	4180	4350	4350	4350
No-load speed	600 100-600	580 100-580	400/800	100-400/800



OPTIONAL FEATURE



PRODUCT FEATURES

The velocity-adjustable drilling
machines have the functions of
soft start, constant power, stepless
speed regulation and equipped with
overload protection and mechanical
clutch protection.



INDUSTRIAL GRADE

SCY-3050

Product model	SCY-3050 SCY-3050C SCY-3050CE	SCY-3550 SCY-3550C SCY-3550CE	SCY-4050 SCY-4050C SCY-4050CE
Concrete drilling range	~12" (~305)	~14" (~355)	~16" (~405)
Rated voltage	110/220	110/220	110/220
Rated frequency	50~60	50~60	50~60
Rated input power	4650	4880	5180
No-load speed	380 380/760 100-380/760	300 300/600 100-300/600	280 280/550 100-280/550



Heavy drilling machine can drill accurately and deeply on hard materials.
The second-class mechanical gear shift machine can drill holes from 50mm to 405mm to achieve the function of multipurpose.



INDUSTRIAL GRADE

SCY-3050/3C

Heavy drill can make accurate and super-deep holes on hard materials. Machined of 3 gear speed regulation can drill holes from 50mm to 405mm and choose the proper speed according to the size of bits.

CN
GB
EP
US



DIAMOND CORE DRILL

INDUSTRIAL GRADE

SCY-2550B/BE	SCY-2550BCE
SCY-3050B/BE	SCY-3050BCE
SCY-3550B/BE	SCY-3550BCE
SCY-4050B/BE	SCY-4050BCE



PRODUCT MODEL AND PARAMETER

Product model	SCY-2550B SCY-2550BE SCY-2550BCE	SCY-3050B SCY-3050BE SCY-3050BCE	SCY-3550B SCY-3550BE SCY-3550BCE	SCY-4050B SCY-4050BE SCY-4050BCE
Concrete drilling range	~10" (~255)	~12" (~305)	~14" (~355)	~16" (~405)
Rated voltage	110/220	110/220	110/220	110/220
Rated frequency	50~60	50~60	50~60	50~60
Rated input power	4350	4650	4880	5180
No-load speed	580 100 - 580 100 - 400/800	380 100 - 380 100 - 380/760	300 100 - 300 100 - 300/600	280 100 - 280 100 - 280/550

OPTIONAL FEATURE



PRODUCT FEATURES

Machines of motor speed regulation have the functions of constant power, soft start, stepless regulation and drilling inclined holes from 0~90° with the adjustable bracket.



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

AUTO FEED DIAMOND DRILL

INDUSTRIAL GRADE

KCY-2550QA	KCY-4050QA
------------	------------



PRODUCT MODEL AND PARAMETER

Product model	KCY-2550QA	KCY-4050QA
Concrete drilling range	~10" (~255)	~16" (~405)
Rated voltage	110/220	110/220
Rated frequency	50~60	50~60
Rated input power	4350	5180
No-load speed	580	280/550

OPTIONAL FEATURE



PRODUCT FEATURES

This machine has 2 types of feeding, automatic feeding and manual feeding. While using auto-matic feeding, operator can control feeding and retracting by control box



ANGLE-ADJUSTABLE DIAMOND DRILL

INDUSTRIAL GRADE

SCY-2550BM	SCY-2550BCM	SCY-2550BCEM
SCY-3050BM	SCY-3050BCM	SCY-3050BCEM
SCY-3550BM	SCY-3550BCM	SCY-3550BCEM
SCY-4050BM	SCY-4050BCM	SCY-4050BCEM



PRODUCT MODEL AND PARAMETER

Product model	SCY-2550BM SCY-2550BCM SCY-2550BCEM	SCY-3050BM SCY-3050BCM SCY-3050BCEM	SCY-3550BM SCY-3550BCM SCY-3550BCEM	SCY-4050B SCY-4050BE SCY-4050BCE
Concrete drilling range	~10" (~255)	~12" (~305)	~14" (~355)	~16" (~405)
Rated voltage	110/220	110/220	110/220	110/220
Rated frequency	50~60	50~60	50~60	50~60
Rated input power	4350	4650	4880	5180
No-load speed	580 100-580 100-400/800	380 100-380 100-380/760	300 100-300 100-300/600	280 100-280 100-280/550

OPTIONAL FEATURE



PRODUCT FEATURES

The light adjustable aluminum alloy bracket can drill inclined holes from 0~45°
Light, easy to transport and install drill frame tight and equipped with wheels.
Frame with general fast connecting block, quick installation and is suitable for the majority of products on the market.
base , frame , the bracket and all adjusting screw can be used with the pushing handle attached to adjust.



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

VACUUM CHUCK 3 GEARSPEED DIAMOND DRILL

INDUSTRIAL GRADE

SCY-4550/3C	SCY-4550/3CE
SCY-5050/3C	SCY-5050/3CE



PRODUCT MODEL AND PARAMETER

Product model	SCY-4550/3C SCY-4550/3CE	SCY-5050/3C SCY-5050/3CE
Concrete drilling range	~18" (~455)	~20" (~505)
Rated voltage	110/220	110/220
Rated frequency	50~60	50~60
Rated input power	5280	5380
No-load speed	350/530/700 100-350/530/700	300/580/760 100-300/580/760

OPTIONAL FEATURE



PRODUCT FEATURES

Adjustable aluminum alloy frame, can be drilling inclined hole 0~45°.Light, easy to transport and install drill frame tight and equipped with wheels.Vacuum base, can quickly, easily set up.Frame with general fast connecting block, quick installation and is suitable for the majority of products on the market.Base , frame , the bracket and all adjusting screw can be used with the pushing handle attached to adjust.



ANGLE AD JUSTABLE BRACKET



PRODUCT FEATURES

KCY-200F/400F

The light adjustable aluminum alloy bracket can drill inclined holes from 0-45°. Light, easy to transport and install drill frame tight and equipped with wheels. Frame with general fast connecting block, quick installation and is suitable for the majority of products on the market base, frame, the bracket and all adjusting screw can be used with the pushing handle attached to adjust.



PRODUCT FEATURES

KCY-650F

Adjustable aluminum alloy frame, can be drilling inclined hole 0-45°. Light, easy to transport and install. Drill frame tight and equipped with wheels. Vacuum base, can quickly, easily set up. Frame with general fast connecting block, quick installation and is suitable for the majority of products on the market. Base, frame, the bracket and all adjusting screw can be used with the pushing handle attached to adjust.



PRODUCT MODEL

Product model	KCY-200F	KCY-400F	KCY-650F
Applicable model	Look for 200 models	Look for 400 models	Look for 650 models

Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

MINI HORIZONTAL TYPE



PRODUCT FEATURES

- 1, suitable for small workplace
- 2, small size and easy carrying
- 3, strong drilling capacity and high efficiency
- 4, strong adhesion and reliable safety

PRODUCT MODEL AND PARAMETER

Product model	KCY-28DM	KCY-38DM	KCY-55DM
Largest drill	Φ28	Φ38	Φ55
Rated voltage	110/220	110/220	110/220
Rated frequency	50~60	50~60	50~60
Rated input power	1400	1650	1900
No-load speed	650	600	550

MAGNETIC HOLLOW DRILL

INDUSTRIAL GRADE

- SCY-32HD
- SCY-42HD



PRODUCT MODEL AND PARAMETER

Product model	SCY-32HD	SCY-42HD
Croe drill dia	Φ 32	Φ 42
Rated voltage	110/220	110/220
Rated frequency	14800	15600
Rated input power	1550	1700
No -load speed	100 - 520	100 - 450

PRODUCT FEATURES
Hosts gearbox fixed, high accuracy
All die-cast magnesium alloy frame,
light weight
Built-in cooling system, small



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

MAGNETIC HOLLOW DRILL

INDUSTRIAL GRADE

- SCY-68HD
- SCY-98HD



PRODUCT MODEL AND PARAMETER

Product model	SCY-68HD	SCY-98HD
Croe drill dia	Φ 68	Φ 98
Twist drill dia	Φ 23	Φ 28
Rated voltage	110/220	110/220
Rated frequency	16000	17000
Rated input power	1890	2180
No -load speed	100 - 380	100 - 320

PRODUCT FEATURES
Hosts gearbox fixed, high accuracy
All die-cast magnesium alloy frame,
light weight
Built-in cooling system, small



MULTIFUNCTION
INDUSTRIAL GRADE

KCY-36/2WDO
KCY-48/2WDO



Trouble with ordinary dovetail or pillar guides?
Solid brass guide rails guarantee an optimum
slide guidance.

PRODUCT MODEL AND PARAMETER

Product model	KCY-36/2WDO	KCY-48/2WDO
Croe drill dia	Φ36	Φ48
Twist drill dia	Φ18	Φ22
Max tapping dia	M15	M18
Rated voltage	110/220	110/220
Max.attraction	14200	14500
Rated input power	1550	1700
No-load speed	100 - 260/180 - 480	95 - 235/160 - 420



PRODUCT FEATURES

Oil-immersed gearbox gear long life
Multi-gear gear speeder tool for multiple
Dual dovetail guides, travel, small size
Inversion is an electronic push-button machines



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

MULTIFUNCTION
INDUSTRIAL GRADE

KCY-65/2WD
KCY-85/3WD



Trouble with ordinary dovetail or pillar guides?
Solid brass guide rails guarantee an optimum
slide guidance.

PRODUCT MODEL AND PARAMETER

Product model	KCY-65/2WD	KCY-85/3WD
Croe drill dia	Φ65	Φ85
Twist drill dia	Φ25	Φ32
Max tapping dia	M20	M24
Rated voltage	110/220	110/220
Max.attraction	15800	16800
Rated input power	1890	2280
No-load speed	100 - 180/500	100 - 200/330/410



PRODUCT FEATURES

Oil-immersed gearbox gear long life
Multi-gear gear speeder tool for multiple
Dual dovetail guides, travel, small size



TOUCH AND AUTOMATIC FEED

INDUSTRIAL GRADE



PRODUCT MODEL AND PARAMETER

Product model	KCY-55QE-1	KCY-65QE-1	KCY-80QE-1
Croe drill dia	Φ55	Φ65	Φ80
Twist drill dia	Φ23	Φ25	Φ31
Rated voltage	110/220	110/220	110/220
Rated frequency	16800	17200	17800
Rated input power	1780	1980	2080
No -load speed	550	520	500

PRODUCT FEATURES

Automatic feeding magnetic drill has the functions of constant power, overload protection, touch button,ergonomic handle and stepless speed regulation for feeding.



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

AUTOMATIC FEED

INDUSTRIAL GRADE



PRODUCT MODEL AND PARAMETER

Product model	KCY-55QE	KCY-65QE	KCY-80QE
Croe drill dia	Φ55	Φ65	Φ80
Twist drill dia	Φ23	Φ25	Φ31
Rated voltage	110/220	110/220	110/220
Rated frequency	16800	17200	17800
Rated input power	1780	1980	2080
No -load speed	550	520	500

PRODUCT FEATURES

The feeding of this machine can be operated automatically and manually. While using automatic feeding, operator can just shift the lift rocker arm to the automatic catch and then adjust the feeding speed according to the size of bits.



MULTI-FUNCTIONAL MAGNETIC DRILL

INDUSTRIAL GRADE

- SCY-1300
- SCY-1600
- SCY-1300E
- SCY-1600E
- SCY-1300RE
- SCY-1600RE



PRODUCT MODEL AND PARAMETER

Product model	SCY-1300 SCY-1300E SCY-1300RE	SCY-1600 SCY-1600E SCY-1600RE
Twist drills Φ max	$\Phi 13$	$\Phi 16$
Rated voltage	110/220	110/220
Rated frequency	9500	11500
Rated input power	1250	1480
No - load speed	600 100 - 600 100 - 600	500 100 - 500 100 - 500

PRODUCT FEATURES

Humanized design,specific circular bracket,and hight weight make the work more professional and efficient.



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

MULTI-FUNCTIONAL MAGNETIC DRILL

INDUSTRIAL GRADE

- SCY-2300
- SCY-2800
- SCY-2300E
- SCY-2800E
- SCY-2300RE
- SCY-2800RE



PRODUCT MODEL AND PARAMETER

Product model	SCY-2300 SCY-2300E SCY-2300RE	SCY-2800 SCY-2800E SCY-2800RE
Twist drills Φ max	$\Phi 23$	$\Phi 28$
Rated voltage	110/220	110/220
Rated frequency	14000	14800
Rated input power	1500	1780
No - load speed	330 100 - 330 100 - 330	300 100 - 300 100 - 300

PRODUCT FEATURES

Humanized design,specific circular bracket,and hight weight make the work more professional and efficient.



TOUCH MAGNETIC DRILL

INDUSTRIAL GRADE

- KBN-25QU
- KBN-38QU



PRODUCT FEATURES

Small touch panel switch waterproof machines, key integration, long service life. For small diameter drilling operations. Body design humane, feel strong, unique arc-shape drack, light weight, make the job more professional, efficient and gentle strength.



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

TOUCH MAGNETIC DRILL

INDUSTRIAL GRADE

- KBN-60QU
- KBN-90QU



PRODUCT FEATURES

Large touch panel switch waterproof machines, key integration, long service life. Suitable for large diameter, high hardness drilling operations. Body design humane, feel strong, unique arcshape drack, light weight, make the job more professional, efficient and gentle strength.



PRODUCT MODEL AND PARAMETER

Product model	KBN-25QU	KBN-38QU
Croe drill dia	Φ 25	Φ 38
Rated voltage	110/220	110/220
Rated frequency	12800	14000
Rated input power	1600	1780
No-load speed	100-650	100-600

PRODUCT MODEL AND PARAMETER

Product model	KBN-60QU	KBN-90QU
Croe drill dia	Φ 60	Φ 90
Twist drill dia	Φ 23	Φ 28
Rated voltage	110/220	110/220
Rated frequency	15800	16800
Rated input power	1880	2180
No-load speed	100-550	100-500

MAGNETIC HOLLOW DRILL

INDUSTRIAL GRADE

SCY-25CD

SCY-38CD



PRODUCT FEATURES

Humanized design,specific circular bracket,and hight weight make the work more professional and efficient.



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

MAGNETIC HOLLOW DRILL

INDUSTRIAL GRADE

SCY-60CD

SCY-90CD



PRODUCT FEATURES

Humanized design,specific circular bracket,and hight weight make the work more professional and efficient.



MAGNETIC HOLLOW DRILL

INDUSTRIAL GRADE

- SCY-50CD
- SCY-80CD



PRODUCT FEATURES
Specific machine type, small size, big power, drilling ability. Hosts gearbox fixed, high accuracy.



Germany Perfect Industrial Design, Experience Of Beauty And Tactile Sensation

MAGNETIC HOLLOW DRILL

INDUSTRIAL GRADE

- SCY-126CD



PRODUCT MODEL AND PARAMETER

Product model	SCY-126CD
Croe drill dia	Φ 126
Twist drill dia	Φ 32
Rated voltage	110/220
Rated frequency	22000
Rated input power	2580
No-load speed	50 - 330

PRODUCT FEATURES
This series of products is suitable for cutting or slitting the reinforced concrete structure, brick, stone, granite.



MULTI-FUNCTIONAL MAGNETIC DRILL

INDUSTRIAL GRADE

SCY-3200	SCY-3200C	SCY-3200RC
SCY-3800	SCY-3800C	SCY-3800RC
SCY-4900	SCY-4900C	SCY-4900RC



PRODUCT FEATURES

Two speed gear, positive inversion.
Gear according to bit size.Select the appropriate file, positive inversion models can be installed tap tapping.



Attn:slow speed tpye with ※.

Germany Perfect Industrial Design,Experience Of Beauty And Tactile Sensation

MULTI-FUNCTIONAL MAGNETIC DRILL

INDUSTRIAL GRADE

SCY-6000	SCY-8000
SCY-6000C	SCY-8000C
SCY-6000RC	SCY-8000RC



PRODUCT FEATURES

Two speed gear, positive inversion.
Gear according to bit size.Select the appropriate file, positive inversion models can be installed tap tapping.



Attn:slow speed tpye with ※.

THREE SPEED REGULATION AND TAPPING

INDUSTRIAL GRADE

SCY-3200/3RT

SCY-3800/3RT

SCY-4900/3RT



Third gear change speed

PRODUCT FEATURES

Third gear, positive, professional.
Gear according to bit.Size choose
corresponding gear, the slow gear
can be installed tap tapping.



Attn:slow speed tpye with ✖.

Germany Perfect Industrial Design,Experience Of Beauty And Tactile Sensation

THREE SPEED REGULATION AND TAPPING

INDUSTRIAL GRADE

SCY-6000/3RT

SCY-8000/3RT



Heavy-duty
third gear speed
regulation

PRODUCT MODEL AND PARAMETER

Product model	SCY-6000/3RT	SCY-8000/3RT
Twist drills Φ max	Φ 60	Φ 80
Rated voltage	380	380
Rated frequency	23000	25000
Rated input power	2700	2800
No - load speed	65/105/210 45/75/150	60/100/200 40/65/130

PRODUCT FEATURES

Third gear, positive, professional.
Gear according to bit.Size choose
corresponding gear, the slow gear
can be installed tap tapping.



Attn:slow speed tpye with ✖.

THREE SPEED REGULATION AND TAPPING

INDUSTRIAL GRADE

- SCY-1000C
- SCY-1000RC
- SCY-1000/3RT



PRODUCT MODEL AND PARAMETER

Product model	SCY-1000C	SCY-1000RC SCY-1000/3RT
Twist drills Φ max	Φ 100	Φ 100
Rated voltage	380	380
Rated frequency	24500	24500
Rated input power	3180	3180
No -load speed	45/108	90/180/216 45/90/108

Attn:slow speed tpye with ※.

PRODUCT FEATURES

Third gear, positive, professional.
Gear according to bit.Size choose
corresponding gear, the slow gear
can be installed tap tapping.



Germany Perfect Industrial Design,Experience Of Beauty And Tactile Sensation

MULTIFUNCTION

INDUSTRIAL GRADE

- KBN-55/2QD
- KBN-75/2QD
- KBN-95/3QD



PRODUCT FEATURES

Light weight, high power, small size
Multi-gear speed regulation device
Motor with constant power, soft start,
electronic stepless speed regulation .
Automatic overload protection
according to the load.
Strong magnetic adhesion.
Cooling and lubricating device.

PRODUCT MODEL AND PARAMETER

Product model	KBN-55/2QD	KBN-75/2QD	KBN-95/3QD
Croe drill dia	Φ 55	Φ 75	Φ 95
Twist drill dia	Φ 23	Φ 28	Φ 31
Rated voltage	110/220	110/220	110/220
Rated frequency	14800	16500	17800
Rated input power	1680	2080	2380
No -load speed	0 - 150/350	0 - 180/360	0 - 150/305/350



INDUSTRIAL GRADE

KCY-320WEQ



Cutting or slitting the reinforced concrete structure, brick, stone, granite is suitable for this series of products.

KCY-420WEQ



PRODUCT FEATURES

Automatic feeding and cutting
Automatic detaching track
Aluminum alloy shell
Digital controlling box(computer version)



INDUSTRIAL GRADE

KCY-520WEQ



Stay tuned for the hydraulic wall cutter!

PRODUCT MODEL AND PARAMETER

Product model	KCY-320WEQ	KCY-420WEQ	KCY-520WEQ
(V) Voltage	110/220V~	110/220V~	110/220V~
(Hz) Frequency	50-60	50-60	50-60
(W) Power	6280	7280	7980
(mm) Blade diameter	12-32 ",300-800	12-40 ",300-1000	12-48 ",300-1200
(mm) Max.cutting diameter	320	420	520

